



iStore 270L litre heat pump hot water system Model PASHW015-270LD-FL02-R290 WM26240 SAA-191706-EA

Main



Integrated compressor and storage tank heat pump.
270L tank capacity
800w scroll compressor
PCB controlled with EEV
Ambient temperature sensing
PCB controlled anti frost cycle
Weekly anti legionaries' cycle
Consumer configuration via LCD screen
Inbuilt Timers
3 pin 10amp supply cord

STCs, VEECs, VEU, and ESC rebates available

REC REGISTRY BRAND	REC REGISTRY MODEL	
IHEAT/ISTORE	PASHW015-270LD-FL02-R290	
REC REGISTRY HOT WATER	10 Year	2024 STCs APPLICABLE
ZONE		
1	26	18
2	25	17
3	31	21
4	33	23
5	32	22





Specification and Serial number labels attached to units

IHEAT/ISTORE HOT WATER HEAT PUMP

MODEL: PASHW015-270LD-FL02-R290
RATED VOLTAGE/FREQUENCY: 240V~/50Hz
MOISTURE RESISTANCE: IPX4

ELECTRICAL SHOCK PROOF:

RATED HEATING CAPACITY: 4.0kW

HEATING POWER INPUT: 0.8kW

HEATING CURRENT INPUT: 3.3A
AUXILIARY ELECTRICAL HEATING: 1kW

RATED POWER INPUT: 2.38kW

RATED CURRENT INPUT: 9.9A

REFRIGERANT/PROPER INPUT: R290/480g

WATER TANK CAPACITY: 270L

WATER TANK WATER PRESSURE: 850kPa

WATER TANK MAX WATER PRESSURE: 850kPa/99℃

RATED OUTLET WATER TEMPERATURE: 60℃

WATER INLET/OUTLET PIPE: 3/4inch

OPERATION PRESSURE(LOW SIDE): 1300kPa

OPERATION PRESSURE(HIGH SIDE): 3200kPa
MAXIMUM ALLOWABLE PRESSURE: 3200kPa

FACTORY NUMBER: ON THE BAR CODE

MANUFACTURED DATE: ON THE BAR CODE



WARNING - For continued safety of this appliance it must be installed, operated, and maintained in accordance with the manufacturers instructions.











Dimensions

